

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"5945607".PN.	USPAT; USOCR	OR	ON	2005/07/07 14:08
L3	1	"3882709".PN.	USPAT; USOCR	OR	ON	2005/07/07 14:10
L4	1	"3882719".PN.	USPAT; USOCR	OR	ON	2005/07/07 14:10
L5	2	"2760370".PN.	USPAT; USOCR	OR	ON	2005/07/07 14:11
L6	378	73/856.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/07 14:52
L7	1	"6247356".PN.	USPAT; USOCR	OR	ON	2005/07/07 14:53
L8	50496	((load force stress strain weight) near3 (detect\$6 sens\$6 measur\$6 test\$4 indicat\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/07 14:53
L9	31	L8 and ((two three four plurality pair L7 L1 many several) near3 (pole foot feet hand finger leg column beam bar rod leg)).clm. and readout near4 load	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/07 14:59
S1	66	peppel.inv.	USPAT	OR	ON	2005/03/07 08:33
S2	1	peppel.inv. and "73"/\$7.ccls.	USPAT	OR	ON	2005/03/07 08:34
S3	0	peppel.inv. and "73"/\$7.ccls.	US-PGPUB; USOCR; EPO; JPO	OR	ON	2005/03/07 08:34
S4	692	"73"/\$7.ccls. and MTS	US-PGPUB; USOCR; EPO; JPO	OR	ON	2005/03/07 08:35
S5	166	"73"/\$7.ccls. and MTS and load	US-PGPUB; USOCR; EPO; JPO	OR	ON	2005/03/07 08:35
S6	7	"73"/\$7.ccls. and MTS and load.ti.	US-PGPUB; USOCR; EPO; JPO	OR	ON	2005/03/07 08:36
S7	23	"73"/\$7.ccls. and MTS and load.ti.	USPAT	OR	ON	2005/03/07 08:37
S8	35	"73"/\$7.ccls. and MTS and load and test.ti.	USPAT	OR	ON	2005/03/07 09:27
S9	200	73/856.ccls.	USPAT	OR	ON	2005/07/07 14:52
S10	368	73/856.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/07 09:51

S11	1	"6247356".PN.	USPAT; USOCR	OR	ON	2005/03/07 09:53
S12	1	"5945607".PN.	USPAT; USOCR	OR	ON	2005/03/07 09:53
S13	1	"5877432".PN.	USPAT; USOCR	OR	ON	2005/03/07 09:54
S14	1	"5095757".PN.	USPAT; USOCR	OR	ON	2005/03/07 10:00
S15	1	"4869112".PN.	USPAT; USOCR	OR	ON	2005/03/07 10:00
S16	1	"4478086".PN.	USPAT; USOCR	OR	ON	2005/03/07 10:01
S17	0	73/888.ccls.	USPAT	OR	ON	2005/03/07 10:05
S18	94	73/788.ccls.	USPAT	OR	ON	2005/03/07 10:44
S19	159	73/760.ccls.	USPAT	OR	ON	2005/03/07 10:47
S20	83	73/763.ccls.	USPAT	OR	ON	2005/03/07 10:48
S21	0	73/7818.ccls.	USPAT	OR	ON	2005/03/07 10:48
S22	201	73/818.ccls.	USPAT	OR	ON	2005/03/07 11:32
S23	1	("6363776").PN.	USPAT; USOCR	OR	OFF	2005/03/07 11:54
S24	48658	((load force stress strain weight) near3 (detect\$6 sens\$6 measur\$6 test\$4 indicat\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/07 11:57
S25	2639	S24 and ((two three four plurality pair S11 S12 many several) near3 (pole foot feet hand finger leg column beam bar rod leg)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 16:14
S26	873	S25 and "73"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/09 18:09
S27	1	"6247356".PN.	USPAT; USOCR	OR	ON	2005/03/09 18:09
S28	1	"5945607".PN.	USPAT; USOCR	OR	ON	2005/03/09 18:09
S29	48692	((load force stress strain weight) near3 (detect\$6 sens\$6 measur\$6 test\$4 indicat\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/09 18:09
S30	2640	S29 and ((two three four plurality pair S27 S28 many several) near3 (pole foot feet hand finger leg column beam bar rod leg)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/09 18:09

S31	5	S30 and "73"/\$7.ccls. and turnbuckle	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/09 18:10
S32	13	S29 and ((two three four plurality pair S27 S28 many several) near3 (pole foot feet hand finger leg column beam bar rod leg)).clm. and turnbuckle	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/09 18:14
S33	192	"73"/\$7.ccls. and (force load) and turnbuckle	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/10 10:05
S34	2	((("5945607") or ("3882719")).PN.	USPAT; USOCR	OR	OFF	2005/03/10 10:06
S35	1	"6247356".PN.	USPAT; USOCR	OR	ON	2005/03/11 16:14
S36	1	"5945607".PN.	USPAT; USOCR	OR	ON	2005/03/11 16:14
S37	48743	((load force stress strain weight) near3 (detect\$6 sens\$6 measur\$6 test\$4 indicat\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 16:14
S38	127	S37 and ((two three four plurality pair S35 S36 many several) near3 (pole foot feet hand finger leg column beam bar rod leg)).clm. and dial	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 16:14
S39	9	S37 and ((two three four plurality pair S35 S36 many several) near3 (pole foot feet hand finger leg column beam bar rod leg)).clm. and dial near4 load	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 16:16
S40	30	S37 and ((two three four plurality pair S35 S36 many several) near3 (pole foot feet hand finger leg column beam bar rod leg)).clm. and readout near4 load	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/07 14:53
S41	1501	"73"/\$7.ccls. and (readout dial display) near4 (load weight tension compression)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 16:21
S42	431	"73"/\$7.ccls. and (dial) near4 (load weight tension compression)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 16:21
S43	181	"73"/\$7.ccls. and (dial) near4 load	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 17:26

S44	2	((("5945607") or ("3882719")).PN.	USPAT; USOCR	OR	OFF	2005/03/11 16:26
S45	0	"73"/\$7.ccls. and (dial) near4 load and toad.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 17:26
S46	181	"73"/\$7.ccls. and (dial) near4 load andltoad.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 17:26
S47	24	"73"/\$7.ccls. and (dial) near4 load and load.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/11 17:27
S48	2	"3382709".PN.	USPAT; USOCR	OR	ON	2005/07/07 14:10
S49	2	"2917920".PN.	USPAT; USOCR	OR	ON	2005/03/11 17:29
S50	2	"2667699".PN.	USPAT; USOCR	OR	ON	2005/03/11 17:29